

Slickline Truck-Mounted Skid Unit with Single Drum Drawworks

Model SE1-320 series truck-mounted self-contained slickline skid unit, designed to work in markets requiring economical equipment for medium duty wireline service work on land based applications. The winch hydraulic system is powered by the truck PTO system offering a wide range of drum speed and pulling power for all medium duty wireline service work applications.

Features

- Modular steel skid design, can be removed from truck deck
- Below deck external storage
- Work vise mounted on truck deck
- Truck PTO power supply for hydraulic system
- Operator's control panel has truck engine remote throttle
- Prepped, primed and painted

Hydraulic System

- Heavy duty closed loop hydraulic system
- Minimum maintenance design
- Friendly control design for operations
- Installed on truck chassis or sent out as a field installation package

Wireline Accessories Options


Drawworks

- Multiple sized double drum drawworks to fit desired 0.092" or 0.108" slickline line sizes

Spooling

- Linear bar spooler systems

SE1-320 SERIES



Winch Hoist Specification

Max Speed	
Core	274 mpm (900 fpm)
Rim	400 mpm (1,300 fpm)

Max Pull

Core	1,100 kg (2,400 lb.)
Rim	750 kg (1,650 lb.)

Drive specifications can be adjusted to best fit service applications.

Drum Line Capacity:

4,000 m (15,000') of 0.092" line

Skid Dimensions

1.5 m L x 1.5 m W (60" x 60")

6771 - 84th Street SE
Calgary, Alberta
CANADA T2C 4T6

DynaWinch
INDUSTRIES LTD

Main 403.319.2333
Fax 403.319.2337
www.dynawinch.com